

Jodie & Warren Woroniecki 7075 28<sup>th</sup> St. Hebron, ND 58638 701-878-4088 Check us out online at---www.WoronieckiRanchQuarterHorses.com Or email, call or stop by the ranch. woronieckiranch@westriv.com

#### 5 Panel Information as it Pertains to Woroniecki Ranch Quarter Horses

At Woroniecki Ranch Quarter Horses we order a genetic kit through AQHA and the results are sent to VGL laboratory of the School of Veterinary Medicine at the University of California, Davis. VGL is internationally recognized as a pioneer and expert in DNA-based animal testing. The effects of these equine diseases are wide-ranging, from mild and manageable to severe and terminal. We have compiled a short description of each disorder tested. In many instances we only test the necessary specific test based upon the parents test results. If both parents are N/N on all or some diseases then the offspring is also N/N on those diseases by default. Please see ALL PAGES of this document link.

**Glycogen Branching Enzyme Deficiency (GBED)** doesn't allow a foal to store enough sugar in its cells for energy, function of the brain, heart and skeletal muscles. Most die within couple weeks of age, but none have been known to survive more than 2 months of age. These foals are often still born. GBED is a recessive trait and only horses that inherit both recessive genes from each parent (G/G) will be afflicted. Carriers (N/G) and non-carriers (N/N) will have no problems in their lives as they will NOT be afflicted at all and they will be able to perform all performance activities. If deciding to breed a carrier (N/G) it is highly advised to not breed to another carrier to avoid producing afflicted offspring.

Hereditary Equine Regional Dermal Asthenia (HERDA) causes the skin on a horse's back to literally peel away. The skin will slough becoming loose and tented to never return to its original position. HERDA is a recessive trait and only horses that inherit both recessive genes from each parent (HDR/HDR) will be afflicted. Carries (N/HDR) and non-carries (N/N) will have no problems in their lives as they will NOT be afflicted at all and they will be able to perform all performance activities. If deciding to breed a carrier (N/HDR) it is highly advised to not breed to another carrier to avoid producing afflicted offspring

Hyperkalemic Periodic Paralysis (HYPP) is a muscle condition that leads to weak muscles or severe twitching of the muscles. In most cases symptoms include tremors, weakness, cramping, sweating and inability to relax. In severe cases horse can collapse from a heart attack or respiratory failure and die. HYPP is a dominant trait and carriers (N/H) will be afflicted, but can be managed with careful nutritional care. It is highly recommended NOT to breed a carrier.

Malignant Hyperthermia (MH) is a rare but deadly disorder triggered by the use of anesthesia, muscle relaxant succinylcholine and stress. The horse will often experience high heart rate along with rapid breathing and extreme fever. This can also lead to death is some cases. Some horses are also a carrier of PSSM along with MH. MH is a dominant trait and carriers will be afflicted if undergoing surgery or extreme stress. It is highly recommended NOT to breed a carrier.

**Polysaccharide Storage Myopathy (PSSM1)** is when the muscles store too much glycogen causing muscle stiffness and muscle tying up. Most horses experience pain with strenuous exercise. **PSSM1 is a dominant trait but carriers (N/PSSM1) can be** managed with proper diet and exercise. It is highly recommended NOT to breed a carrier.

Paddys Gin Ral	lye JW (AQHA	A PENDING)
2016 Sorrel Ma	are	
<b>GBED</b> Status	N/N	
HERDA Status	N/HDR	Carries one copy of the HERDA gene. If breeding mare, breed to N/N stallions.
HYPP Status	N/N	
MH Status	N/N	
PSSM1 Status	N/N	

BERKELEY • DAVIS • IRVINE • LOS ANGELES • MERCED • RIVERSIDE • SAN DIEGO • SAN FRANCISCO



VETERINARY GENETICS LABORATORY SCHOOL OF VETERINARY MEDICINE ONE SHIELDS AVENUE DAVIS, CALIFORNIA 95616-8744

### HERDA TEST RESULT

TELEPHONE: (530) 752-2211

FAX: (530) 752-3556

JODIE WORONIECKI 7075 28TH ST. HEBRON, ND 58638	Case: Date Received: Print Date:	<b>NQ31312</b> 31-May-2016 <sup>03-Jun-2016</sup>
	<i>Report ID:</i> Verify report at w	3066-8903-4500-2031 www.vgl.ucdavis.edu/myvgl/verify.html
Name: PADDYS GIN RALLYE JW DOB: 04/27/2016 Sex: Mare Breed: Quarter Horse	Reg: AQHA Pending	
Sire: TRR PADDYS TEXAS GIN	Reg: 4801457	
Dam: LILY DANCER REED JW	<i>Reg:</i> 5454369	

### **HERDA** Test Result

# N/HRD

#### **Result Codes:**

N/N	Normal - horse does not have the HERDA gene	
N/HRD	Carrier - horse carries one copy of the HERDA gene	
HRD/HRD	Affected - horse has two copies of the HERDA gene	

Hereditary equine regional dermal asthenia (HERDA) is a degenerative skin disease characterized by hyperextensible skin, scarring, and severe lesions along the back of affected horses. Affected foals rarely show symptoms at birth. The condition typically occurs by the age of two, most notably when the horse is first being broke to saddle. HERDA is an autosomal recessive trait which means that breedings between carrier (N/HRD) horses have a 25% chance of producing an affected foal (HRD/HRD). Breedings between carrier and normal (N/N) horses produce normal foals, but 50% of these are expected to be carriers.

This test is specific for the mutation in the *cyclophilin B* gene (PPIB) that has been shown to be associated with HERDA. For more information go to http://vgl.ucdavis.edu.

SANTA BARBARA • SANTA CRUZ

BERKELEY • DAVIS • IRVINE • LOS ANGELES • MERCED • RIVERSIDE • SAN DIEGO • SAN FRANCISCO



SANTA BARBARA • SANTA CRUZ

VETERINARY GENETICS LABORATORY SCHOOL OF VETERINARY MEDICINE ONE SHIELDS AVENUE DAVIS, CALIFORNIA 95616-8744

# AQHA GENETIC DISEASE PANEL TEST RESULTS

FAX: (530) 752-3556

AMERICAN QUARTER HORSE ASSOCIATION P.O. BOX 200 AMARILLO, TX 79168-0001

Date Received:

Case:

Reg: 4801457

## QHA192967

11-May-2015

Print Date: Report ID:

15-May-2015 5224-0099-7667-9013 Verify report at www.vgl.ucdavis.edu/myvgl/verify.html

Horse: TRR PADDYS TEXAS GIN

YOB: 2006 Sex: Stallion Breed: Quarter Horse Alt. ID: 5641519 Reg: 2983308 Sire: PADDYS IRISH WHISKEY Reg: 4163196 Dam: TRR MISS BAY GIN

GBED	N/N	N/N - Normal - Does not possess the disease-causing GBED gene
HERDA	N/HRD	N/HRD - Carrier - horse carries one copy of the HERDA gene
НҮРР	N/N	N/N - Normal - Does not possess the disease-causing HYPP gene
МН	N/N	N/N - Normal - horse does not have the MH gene
PSSM1	N/N	N/N - Normal - horse does not have the PSSM1 gene

GBED - Glycogen Branching Enzyme Deficiency. Fatal disease of newborn foals caused by defect in glycogen storage. Affects heart and skeletal muscles and brain. Inherited as recessive disease.

HERDA - Hereditary Equine Regional Dermal Asthenia. Skin disease characterized by hyperextensible skin, scarring, and severe lesions along the back of affected horses. Typical onset is around 2 years of age. Inherited as a recessive disease.

HYPP - Hyperkalemic Periodic Paralysis. Muscle disease caused by defect in sodium channel gene that causes involuntary muscle contraction and increased level of potassium in blood. Inherited as dominant disease. Two copies of defective gene produce more severe signs than one copy.

MH - Malignant Hyperthermia. Rare but life-threatening skeletal muscle disease triggered by exposure to volatile anesthetics (halothane), depolarizing muscle relaxants (succinylcholine), and stress. Presumed inheritance as dominant disease.

PSSM1 - Polysaccharide Storage Myopathy Type 1. Muscle disease characterized by accumulation of abnormal complex sugars in skeletal muscles. Signs include muscle pain, stiffness, skin twitching, sweating, weakness and reluctance to move. Inherited as a dominant disease.

GBED testing performed under a license agreement with the University of Minnesota. HERDA testing performed under a license agreement with the University of California, Davis. PSSM1 testing performed under a license agreement with the American Quarter Horse Association.



Jodie & Warren Woroniecki 7075 28<sup>th</sup> St. Hebron, ND 58638 701-878-4088 Check us out online at---www.WoronieckiRanchQuarterHorses.com Or email, call or stop by the ranch. woronieckiranch@westriv.com

### **5 Panel Information as it Pertains to Woroniecki Ranch Quarter Horses**

At Woroniecki Ranch Quarter Horses we order a genetic kit through AQHA and the results are sent to VGL laboratory of the School of Veterinary Medicine at the University of California, Davis. VGL is internationally recognized as a pioneer and expert in DNA-based animal testing. The effects of these equine diseases are wide-ranging, from mild and manageable to severe and terminal. We have compiled a short description of each disorder tested. In many instances we only test the necessary specific test based upon the parents test results. If both parents are N/N on all or some diseases then the offspring is also N/N on those diseases by default. Please see ALL PAGES of this document link.

**Glycogen Branching Enzyme Deficiency (GBED)** doesn't allow a foal to store enough sugar in its cells for energy, function of the brain, heart and skeletal muscles. Most die within couple weeks of age, but none have been known to survive more than 2 months of age. These foals are often still born. GBED is a recessive trait and only horses that inherit both recessive genes from each parent (G/G) will be afflicted. Carriers (N/G) and non-carriers (N/N) will have no problems in their lives as they will NOT be afflicted at all and they will be able to perform all performance activities. If deciding to breed a carrier (N/G) it is highly advised to not breed to another carrier to avoid producing afflicted offspring.

Hereditary Equine Regional Dermal Asthenia (HERDA) causes the skin on a horse's back to literally peel away. The skin will slough becoming loose and tented to never return to its original position. HERDA is a recessive trait and only horses that inherit both recessive genes from each parent (HDR/HDR) will be afflicted. Carries (N/HDR) and non-carries (N/N) will have no problems in their lives as they will NOT be afflicted at all and they will be able to perform all performance activities. If deciding to breed a carrier (N/HDR) it is highly advised to not breed to another carrier to avoid producing afflicted offspring

Hyperkalemic Periodic Paralysis (HYPP) is a muscle condition that leads to weak muscles or severe twitching of the muscles. In most cases symptoms include tremors, weakness, cramping, sweating and inability to relax. In severe cases horse can collapse from a heart attack or respiratory failure and die. HYPP is a dominant trait and carriers (N/H) will be afflicted, but can be managed with careful nutritional care. It is highly recommended NOT to breed a carrier.

Malignant Hyperthermia (MH) is a rare but deadly disorder triggered by the use of anesthesia, muscle relaxant succinylcholine and stress. The horse will often experience high heart rate along with rapid breathing and extreme fever. This can also lead to death is some cases. Some horses are also a carrier of PSSM along with MH. MH is a dominant trait and carriers will be afflicted if undergoing surgery or extreme stress. It is highly recommended NOT to breed a carrier.

Polysaccharide Storage Myopathy (PSSM1) is when the muscles store too much glycogen causing muscle stiffness and muscle tying up. Most horses experience pain with strenuous exercise. PSSM1 is a dominant trait but carriers (N/PSSM1) can be managed with proper diet and exercise. It is highly recommended NOT to breed a carrier.

Lily Dancer Reed JW (AQHA # 5454369) 2012 Black Mare GBED Status N/N HERDA Status N/N HYPP Status N/N MH Status N/N PSSM1 Status N/N

BERKELEY • DAVIS • IRVINE • LOS ANGELES • MERCED • RIVERSIDE • SAN DIEGO • SAN FRANCISCO



SANTA BARBARA · SANTA CRUZ

VETERINARY GENETICS LABORATORY SCHOOL OF VETERINARY MEDICINE ONE SHIELDS AVENUE DAVIS, CALIFORNIA 95616-8744

TELEPHONE: (530) 752-2211 FAX: (530) 752-3556

### AQHA GENETIC DISEASE PANEL TEST RESULTS

AMERICAN QUARTER HORSE ASSOCIATION P.O. BOX 200 AMARILLO, TX 79168-0001

Case: Date Received:

Print Date:

11-May-2015 15-May-2015

QHA192969

Report ID: Verify report at www.vgl.ucdavis.edu/myvgl/verify.html

4254-4818-1165-7122

Horse: JK JA	Y REED	Reg: 3516678
YOB: 1996	Sex: Stallion Breed:	Quarter Horse Alt. ID: 4093897
Sire: SHADO	OW RIDIN PINE	<i>Reg:</i> 3141930
Dam: CHRIS	TINE NAUGHER	Reg: 2246375
GBED	N/G	N/G - Carrier - Heterozygous (one normal and one GBED gene)
HERDA	N/N	N/N - Normal - horse does not have the HERDA gene
НҮРР	N/N	N/N - Normal - Does not possess the disease-causing HYPP gene

МН	N/N	N/N - Normal - horse does not have the MH gene	
PSSM1	N/N	N/N - Normal - horse does not have the PSSM1 genc	

GBED - Glycogen Branching Enzyme Deficiency. Fatal disease of newborn foals caused by defect in glycogen storage. Affects heart and skeletal muscles and brain. Inherited as recessive disease.

HERDA - Hereditary Equine Regional Dermal Asthenia. Skin disease characterized by hyperextensible skin, scarring, and severe lesions along the back of affected horses. Typical onset is around 2 years of age. Inherited as a recessive disease.

HYPP - Hyperkalemic Periodic Paralysis. Muscle disease caused by defect in sodium channel gene that causes involuntary muscle contraction and increased level of potassium in blood. Inherited as dominant disease. Two copies of defective gene produce more severe signs than one copy.

MH - Malignant Hyperthermia. Rare but life-threatening skeletal muscle disease triggered by exposure to volatile anesthetics (halothane), depolarizing muscle relaxants (succinylcholine), and stress. Presumed inheritance as dominant disease.

PSSM1 - Polysaccharide Storage Myopathy Type 1. Muscle disease characterized by accumulation of abnormal complex sugars in skeletal muscles. Signs include muscle pain, stiffness, skin twitching, sweating, weakness and reluctance to move. Inherited as a dominant disease.

GBED testing performed under a license agreement with the University of Minnesota.

HERDA testing performed under a license agreement with the University of California, Davis.

PSSM1 testing performed under a license agreement with the American Quarter Horse Association.

BERKELEY • DAVIS • IRVINE • LOS ANGELES • MERCED • RIVERSIDE • SAN DIEGO • SAN FRANCISCO

VETERINARY GENETICS LABORATORY SCHOOL OF VETERINARY MEDICINE ONE SHIELDS AVENUE DAVIS, CALIFORNIA 95616-8744

### **AQHA GENETIC DISEASE PANEL TEST RESULTS**

TELEPHONE: (530) 752-221

FAX: (530) 752-3556

AMERICAN QUARTER HORSE ASSOCIATION P.O. BOX 200 AMARILLO, TX 79168-0001

Case: Date Received:

**Print Date:** 

Reg: 4857421

### QHA206629 31-Aug-2015

SANTA BARBARA . SANTA CRUZ

07-Sep-2015 8499-7882-0881-8128

**Report ID:** Verify report at www.vgl.ucdavis.edu/myvgl/verify.html

Horse:	MUJER	LILY	DANCER JW	
--------	-------	------	-----------	--

YOB: 2006 Sex: Mure Breed: Quarter Horse Alt. ID: 5702686

Sire: MUJEF Dam: SAMIS	R TACKY JAY	Reg: 2580521 Reg: 3186751
GBED	N/N	N/N - Normal - Does not possess the disease-causing GBED gene
HERDA	N/N	N/N - Normal - horse does not have the HERDA gene
НҮРР	N/N	N/N - Normal - Does not possess the disease-causing HYPP gene
МН	N/N	N/N - Normal - horse does not have the MH gene
PSSM1	N/N	N/N - Normal - horse does not have the PSSM1 gene

GBED - Glycogen Branching Enzyme Deficiency. Fatal disease of newborn foals caused by defect in glycogen storage. Affects heart and skeletal muscles and brain. Inherited as recessive disease.

HERDA - Hereditary Equine Regional Dermal Asthenia. Skin disease characterized by hyperextensible skin, scarring, and severe lesions along the back of affected horses. Typical onset is around 2 years of age. Inherited as a recessive disease.

HYPP - Hyperkalemic Periodic Paralysis. Muscle disease caused by defect in sodium channel gene that causes involuntary muscle contraction and increased level of potassium in blood. Inherited as dominant disease. Two copies of defective gene produce more severe signs than one copy.

MH - Malignant Hyperthermia. Rare but life-threatening skeletal muscle disease triggered by exposure to volatile anesthetics (halothane), depolarizing muscle relaxants (succinylcholine), and stress. Presumed inheritance as dominant disease.

PSSM1 - Polysaccharide Storage Myopathy Type 1. Muscle disease characterized by accumulation of abnormal complex sugars in skeletal muscles. Signs include muscle pain, stiffness, skin twitching, sweating, weakness and reluctance to move. Inherited as a dominant disease.

GBED testing performed under a license agreement with the University of Minnesota. HERDA testing performed under a license agreement with the University of California, Davis. PSSM1 testing performed under a license agreement with the American Quarter Horse Association.

BERKELEY • DAVIS • IRVINE • LOS ANGELES • MERCED • RIVERSIDE • SAN DIEGO • SAN FRANCISCO



SANTA BARBARA • SANTA CRUZ

VETERINARY GENETICS LABORATORY SCHOOL OF VETERINARY MEDICINE ONE SHIELDS AVENUE DAVIS, CALIFORNIA 95616-8744

# GBED REPORT

FAX: (530) 752-3556

JODIE WORONIECKI 7075 28TH ST. HEBRON, ND 58638	Case: Date Print Date: Report ID: Verify report a	NQ27777 06-Nov-2015 11-Nov-2015 8743-6074-2056-4080 at www.vgl.ucdavis.edu/myvgl/verify.htm
Horse: LILY DANCER REED JW DOB: 05/07/2012 Sex: Mare Breed: Quarter Horse	<i>Reg:</i> <b>5454369</b>	
Sire: JK JAY REED	Reg: 3516678	
Dam: MUJER LILY DANCER JW	<i>Reg:</i> 4857421	

### **GBED** Test Result

### N/N

#### **Result Codes:**

- G/G Affected Homozygous for GBED (two copies of the GBED gene).
- N/G Carrier Heterozygous (one normal and one GBED gene).
- N/N Normal Does not possess the disease-causing GBED gene.

The condition is inherited as a recessive trait. This means that breedings between two carrier (N/G) horses have a 25% chance of producing an affected foal (G/G). Affected foals usually die at a young age or will need to be euthanized due to weakness. Breedings between carrier and normal (N/N) horses produce only normal foals but 50% of these are expected to be carriers.