



Jodie & Warren Woroniecki
7075 28th St.
Hebron, ND 58638
701-878-4088

Check us out online at-----
www.WoronieckiRanchQuarterHorses.com
Or email, call or stop by the ranch
woronieckiranch@westriv.com

7 Identified Diseases Information as it Pertains to Woroniecki Ranch Quarter Horses

At Woroniecki Ranch Quarter Horses we take an ethical response to any genetic diseases as they are identified. AQHA previously had a 5-panel test requirement for breeding stallions since 2015. Two more diseases have been identified and AQHA has now required a 6-panel test. A 7th disease has been identified and could soon be added to the panel. We, as well as many other breeders, have decided to test for that (EJSCA). We also know that there could be many more diseases yet to be discovered. We order our tests through the VGL laboratory of the School of Veterinary Medicine at the University of California, Davis and provide those results to AQHA and buyers. VGL is internationally recognized as a pioneer and expert in DNA-based animal testing. The effects of these equine diseases are wide-ranging, from mild and manageable to severe and terminal. We have compiled a short description of each disorder tested. **In many instances we only test the necessary specific test based upon the parents' test results. If both parents are N/N on all or some diseases then the offspring is also N/N on those diseases by default. Please see ALL PAGES of this document link.**

Glycogen Branching Enzyme Deficiency (GBED) is a fatal genetic disorder that results from the inability to correctly store glycogen in several organs of the body. Most die within couple weeks of age, but none have been known to survive more than 2 months of age. These foals are often still born. **GBED is a recessive trait and only horses that inherit both recessive genes from each parent (G/G) will be afflicted. Carriers (N/G) and non-carriers (N/N) will have no problems in their lives as they will NOT be afflicted at all, and they will be able to perform all performance activities. If you decide to breed a carrier (N/G) it is highly advised to not breed to another carrier to avoid producing afflicted offspring.**

Hereditary Equine Regional Dermal Asthenia (HERDA) is an inherited skin condition primarily found in Quarter Horses that is characterized by hyperextensible skin, scarring, and severe lesions along the back of affected horses. **HERDA is a recessive trait and only horses that inherit both recessive genes from each parent (HDR/HDR) will be afflicted. Carriers (N/HDR) and non-carriers (N/N) will have no problems in their lives as they will NOT be afflicted at all, and they will be able to perform all performance activities. If you decide to breed a carrier (N/HDR) it is highly advised to not breed to another carrier to avoid producing afflicted offspring.**

Hyperkalemic Periodic Paralysis (HYPP) is an inherited disease of the muscles primarily found in Quarter Horses which is characterized by sporadic episodes of muscle tremors or paralysis. **HYPP is a dominant trait and carriers (N/H) will be afflicted but can be managed with careful nutritional care. It is highly recommended NOT to breed a carrier.**

Formerly known as IMM, Myosin-heavy chain myopathy (MYHM) is a muscle disease in Quarter Horses and related breeds that results in two distinct clinical disease presentations. The first presentation is called immune-mediated myositis or IMM and it is characterized by episodes of severe muscle atrophy following an autoimmune event. The second is severe muscle pain and damage termed non-exertional rhabdomyolysis or "tying-up" that is not associated with exercise and may or may not have muscle atrophy. **MYHM is a codominant trait and carriers (N/My) may develop a myosin-heavy chain myopathy. Horses with (My/My) may develop a more severe form of a myosin-heavy chain myopathy. It is highly recommended NOT to breed a carrier.** After consulting with veterinarians and experts in breeding who deem this disorder to not be as severe or common as HYPP or PSSM1, we have decided at this time to continue to breed certain individuals identified at WRQH. We will not breed carriers to carriers to minimize the potential. We have several aged horses that carry MYHM and have had no problems with them. If things prove differently, we will adjust at that time.

Malignant Hyperthermia (MH) is an inherited disease in which affected horses can be triggered by halogenated anesthetics, succinylcholine, stress, or excitement, which can induce a hyper-metabolic state characterized by symptoms including muscle contracture, elevated temperature, and an irregular heart rhythm. **MH is a dominant trait, and carriers (N/MH) will be afflicted if undergoing surgery or extreme stress. It is highly recommended NOT to breed a carrier.**

Polysaccharide Storage Myopathy (PSSM1) is a glycogen storage disease that results in the accumulation of abnormal complex sugars in muscle cells, which can lead to muscle pain, weakness, and reluctance to move. **PSSM1 is a dominant trait but carriers (N/PSSM1) can be managed with proper diet and exercise. It is highly recommended NOT to breed a carrier.**

Equine Juvenile Spinocerebellar Ataxia (EJSCA) is an inherited neurologic disease that causes ataxia. Affected foals develop ataxia, or incoordination, between 1 and 4 weeks of age. The disorder progresses within a few days until affected foals are unable to stand without assistance. **EJSCA is a recessive trait and only horses that inherit both recessive genes from each parent (JSA/JSA) will be afflicted. Carriers (N/JSA) and non-carriers (N/N) will have no problems in their lives as they will NOT be afflicted at all and they will be able to perform all performance activities. If deciding to breed a carrier (N/JSA) it is highly advised to not breed to another carrier to avoid producing afflicted offspring.**

Whiskey Up Ranger JW (AQHA)		All results are N/N through parentage and genetic testing.
2026 Buckskin Stallion		
GBED Status	N/N	Only genes for which a parent carries a copy of the variant were tested
HERDA Status	N/N	
HYPP Status	N/N	
MYHM Status	N/N	
MH Status	N/N	
PSSM1 Status	N/N	
EJSCA Status	N/N	

GLYCOGEN BRANCHING ENZYME DEFICIENCY (GBED) TEST REPORT

Provided Information: Name: WHISKEY UP RANGER JW Registration: AQHA PENDING		Case: NQ139996 Date Received: 22-Jun-2026 Report Issue Date: 29-Jun-2026 Report ID: 1494-7453-4416-0111 Verify report at vgl.ucdavis.edu/verify
DOB: 05/21/2026 Sex: Stallion Breed: Quarter Horse		
Sire: WHOOP UP WHISKEY Reg: 5359075 Microchip:		Dam: MS BOON TOPAZ Reg: 5892873 Microchip:

RESULT

INTERPRETATION

Glycogen Branching Enzyme Deficiency (GBED)	N/N
---	-----

Normal. No copies of the GBED allele detected.

EQUINE JUVENILE SPINOCEREBELLAR ATAXIA TEST REPORT

Provided Information: Name: WHISKEY UP RANGER JW Registration: AQHA PENDING	Case: NQ139996 Date Received: 22-Jun-2026 Report Issue Date: 01-Jul-2026 Report ID: 8732-6199-2242-7140 Verify report at vgl.ucdavis.edu/verify						
DOB: 05/21/2026 Sex: Stallion Breed: Quarter Horse							
<table style="width: 100%;"> <tr> <td style="width: 50%;">Sire: WHOOP UP WHISKEY</td> <td style="width: 50%;">Dam: MS BOON TOPAZ</td> </tr> <tr> <td>Reg: 5359075</td> <td>Reg: 5892873</td> </tr> <tr> <td>Microchip:</td> <td>Microchip:</td> </tr> </table>		Sire: WHOOP UP WHISKEY	Dam: MS BOON TOPAZ	Reg: 5359075	Reg: 5892873	Microchip:	Microchip:
Sire: WHOOP UP WHISKEY	Dam: MS BOON TOPAZ						
Reg: 5359075	Reg: 5892873						
Microchip:	Microchip:						

RESULT

INTERPRETATION

Equine Juvenile Spinocerebellar Ataxia	N/N
---	------------

Normal. No copies of the allele associated with equine juvenile spinocerebellar ataxia (EJSCA) detected.

HORSE COAT COLOR / PATTERN TEST REPORT

Provided Information: Name: WHISKEY UP RANGER JW Registration: AQHA PENDING		Case: NQ139996 Date Received: 22-Jun-2026 Report Issue Date: 30-Jun-2026 Report ID: 7856-0486-5420-1093 Verify report at vgl.ucdavis.edu/verify
DOB: 05/21/2026 Sex: Stallion Breed: Quarter Horse		
Sire: WHOOP UP WHISKEY Reg: 5359075 Microchip:		Dam: MS BOON TOPAZ Reg: 5892873 Microchip:

RESULT		INTERPRETATION	RESULT		INTERPRETATION
RED FACTOR	E/E	No red factor detected. Offspring cannot be chestnut/sorrel.	SPLASHED WHITE		Not requested.
AGOUTI	A/A	2 copies of agouti present. If present, black pigment is restricted to the points.	TOBIANO		Not requested.
CREAM		Not requested.	LEOPARD		Not requested.
PEARL		Not requested.	PATTERN-1		Not requested.
SILVER		Not requested.	BRINDLE 1		Not requested.
DUN		Not requested.	TIGER EYE		Not requested.
CHAMPAGNE		Not requested.	MUSHROOM (SHETLAND PONY)		Not requested.
LETHAL WHITE OVERO		Not requested.	GRAY PRESENCE OR ABSENCE		Not requested.
SABINO 1		Not requested.	ROAN		Not requested.
DOMINANT WHITE (W5, W10, W13, W20, W22)		Not requested.			