



Jodie & Warren Woroniecki  
7075 28<sup>th</sup> St.  
Hebron, ND 58638  
701-878-4088

Check us out online at----  
[www.WoronieckiRanchQuarterHorses.com](http://www.WoronieckiRanchQuarterHorses.com)  
Or email, call or stop by the ranch.  
[woronieckiranch@westriv.com](mailto:woronieckiranch@westriv.com)

## 5 Panel Information as it Pertains to Woroniecki Ranch Quarter Horses

At Woroniecki Ranch Quarter Horses we order a genetic kit through AQHA and the results are sent to VGL laboratory of the School of Veterinary Medicine at the University of California, Davis. VGL is internationally recognized as a pioneer and expert in DNA-based animal testing. The effects of these equine diseases are wide-ranging, from mild and manageable to severe and terminal. We have compiled a short description of each disorder tested. **In many instances we only test the necessary specific test based upon the parents test results. If both parents are N/N on all or some diseases then the offspring is also N/N on those diseases by default. Please see ALL PAGES of this document link.**

**Glycogen Branching Enzyme Deficiency (GBED)** doesn't allow a foal to store enough sugar in its cells for energy, function of the brain, heart and skeletal muscles. Most die within couple weeks of age, but none have been known to survive more than 2 months of age. These foals are often still born. GBED is a recessive trait and only horses that inherit both recessive genes from each parent (G/G) will be afflicted. **Carriers (N/G) and non-carriers (N/N) will have no problems in their lives as they will NOT be afflicted at all and they will be able to perform all performance activities. If deciding to breed a carrier (N/G) it is highly advised to not breed to another carrier to avoid producing afflicted offspring.**

**Hereditary Equine Regional Dermal Asthenia (HERDA)** causes the skin on a horse's back to literally peel away. The skin will slough becoming loose and tented to never return to its original position. HERDA is a recessive trait and only horses that inherit both recessive genes from each parent (HDR/HDR) will be afflicted. **Carriers (N/HDR) and non-carriers (N/N) will have no problems in their lives as they will NOT be afflicted at all and they will be able to perform all performance activities. If deciding to breed a carrier (N/HDR) it is highly advised to not breed to another carrier to avoid producing afflicted offspring**

**Hyperkalemic Periodic Paralysis (HYPP)** is a muscle condition that leads to weak muscles or severe twitching of the muscles. In most cases symptoms include tremors, weakness, cramping, sweating and inability to relax. In severe cases horse can collapse from a heart attack or respiratory failure and die. **HYPP is a dominant trait and carriers (N/H) will be afflicted, but can be managed with careful nutritional care. It is highly recommended NOT to breed a carrier.**

**Malignant Hyperthermia (MH)** is a rare but deadly disorder triggered by the use of anesthesia, muscle relaxant succinylcholine and stress. The horse will often experience high heart rate along with rapid breathing and extreme fever. This can also lead to death in some cases. Some horses are also a carrier of PSSM along with MH. **MH is a dominant trait and carriers will be afflicted if undergoing surgery or extreme stress. It is highly recommended NOT to breed a carrier.**

**Polysaccharide Storage Myopathy (PSSM1)** is when the muscles store too much glycogen causing muscle stiffness and muscle tying up. Most horses experience pain with strenuous exercise. **PSSM1 is a dominant trait but carriers (N/PSSM1) can be managed with proper diet and exercise. It is highly recommended NOT to breed a carrier.**

---

**Pearl Drift JW (AQHA)**

**2022 Palomino Filly**

GBED Status N/N

HERDA Status N/N

HYPP Status N/N

MH Status N/N

PSSM1 Status N/N

---



VETERINARY GENETICS LABORATORY  
 SCHOOL OF VETERINARY MEDICINE  
 ONE SHIELDS AVENUE  
 DAVIS, CALIFORNIA 95616-8744

TELEPHONE: (530) 752-2211  
 FAX: (530) 752-3556

**AQHA GENETIC DISEASE PANEL TEST RESULTS**

AMERICAN QUARTER HORSE ASSOCIATION P.O. BOX 200 AMARILLO, TX 79168-0001	<b>Case: QHA192970</b> <b>Date Received: 11-May-2015</b> Print Date: 15-May-2015 Report ID: 9633-4604-1417-2011 Verify report at <a href="http://www.vgl.ucdavis.edu/myvgl/verify.html">www.vgl.ucdavis.edu/myvgl/verify.html</a>
---	---

Horse: <b>WALTER O RIELLY</b> YOB: 2000 Sex: Stallion Breed: Quarter Horse Alt. ID: 5067985	Reg: 4343282
Sire: BRADYWOOD Dam: LACYS KEEPSAKE	Reg: 3190953 Reg: 3169660

GBED	N/N	N/N - Normal - Does not possess the disease-causing GBED gene
HERDA	N/N	N/N - Normal - horse does not have the HERDA gene
HYPP	N/N	N/N - Normal - Does not possess the disease-causing HYPP gene
MH	N/N	N/N - Normal - horse does not have the MH gene
PSSM1	N/N	N/N - Normal - horse does not have the PSSM1 gene

GBED - Glycogen Branching Enzyme Deficiency. Fatal disease of newborn foals caused by defect in glycogen storage. Affects heart and skeletal muscles and brain. Inherited as recessive disease.

HERDA - Hereditary Equine Regional Dermal Asthenia. Skin disease characterized by hyperextensible skin, scarring, and severe lesions along the back of affected horses. Typical onset is around 2 years of age. Inherited as a recessive disease.

HYPP - Hyperkalemic Periodic Paralysis. Muscle disease caused by defect in sodium channel gene that causes involuntary muscle contraction and increased level of potassium in blood. Inherited as dominant disease. Two copies of defective gene produce more severe signs than one copy.

MH - Malignant Hyperthermia. Rare but life-threatening skeletal muscle disease triggered by exposure to volatile anesthetics (halothane), depolarizing muscle relaxants (succinylcholine), and stress. Presumed inheritance as dominant disease.

PSSM1 - Polysaccharide Storage Myopathy Type 1. Muscle disease characterized by accumulation of abnormal complex sugars in skeletal muscles. Signs include muscle pain, stiffness, skin twitching, sweating, weakness and reluctance to move. Inherited as a dominant disease.

GBED testing performed under a license agreement with the University of Minnesota.

HERDA testing performed under a license agreement with the University of California, Davis.

PSSM1 testing performed under a license agreement with the American Quarter Horse Association.



Jodie & Warren Woroniecki  
 7075 28<sup>th</sup> St.  
 Hebron, ND 58638  
 701-878-4088

Check us out online at----  
[www.WoronieckiRanchQuarterHorses.com](http://www.WoronieckiRanchQuarterHorses.com)  
 Or email, call or stop by the ranch.  
[woronieckiranch@westriv.com](mailto:woronieckiranch@westriv.com)

## 5 Panel Information as it Pertains to Woroniecki Ranch Quarter Horses

At Woroniecki Ranch Quarter Horses we order a genetic kit through AQHA and the results are sent to VGL laboratory of the School of Veterinary Medicine at the University of California, Davis. VGL is internationally recognized as a pioneer and expert in DNA-based animal testing. The effects of these equine diseases are wide-ranging, from mild and manageable to severe and terminal. We have compiled a short description of each disorder tested. **In many instances we only test the necessary specific test based upon the parents test results. If both parents are N/N on all or some diseases then the offspring is also N/N on those diseases by default. Please see ALL PAGES of this document link.**

**Glycogen Branching Enzyme Deficiency (GBED)** doesn't allow a foal to store enough sugar in its cells for energy, function of the brain, heart and skeletal muscles. Most die within couple weeks of age, but none have been known to survive more than 2 months of age. These foals are often still born. GBED is a recessive trait and only horses that inherit both recessive genes from each parent (G/G) will be afflicted. **Carriers (N/G) and non-carriers (N/N) will have no problems in their lives as they will NOT be afflicted at all and they will be able to perform all performance activities. If deciding to breed a carrier (N/G) it is highly advised to not breed to another carrier to avoid producing afflicted offspring.**

**Hereditary Equine Regional Dermal Asthenia (HERDA)** causes the skin on a horse's back to literally peel away. The skin will slough becoming loose and tented to never return to its original position. HERDA is a recessive trait and only horses that inherit both recessive genes from each parent (HDR/HDR) will be afflicted. **Carries (N/HDR) and non-carriers (N/N) will have no problems in their lives as they will NOT be afflicted at all and they will be able to perform all performance activities. If deciding to breed a carrier (N/HDR) it is highly advised to not breed to another carrier to avoid producing afflicted offspring**

**Hyperkalemic Periodic Paralysis (HYPP)** is a muscle condition that leads to weak muscles or severe twitching of the muscles. In most cases symptoms include tremors, weakness, cramping, sweating and inability to relax. In severe cases horse can collapse from a heart attack or respiratory failure and die. **HYPP is a dominant trait and carriers (N/H) will be afflicted, but can be managed with careful nutritional care. It is highly recommended NOT to breed a carrier.**

**Malignant Hyperthermia (MH)** is a rare but deadly disorder triggered by the use of anesthesia, muscle relaxant succinylcholine and stress. The horse will often experience high heart rate along with rapid breathing and extreme fever. This can also lead to death in some cases. Some horses are also a carrier of PSSM along with MH. **MH is a dominant trait and carriers will be afflicted if undergoing surgery or extreme stress. It is highly recommended NOT to breed a carrier.**

**Polysaccharide Storage Myopathy (PSSM1)** is when the muscles store too much glycogen causing muscle stiffness and muscle tying up. Most horses experience pain with strenuous exercise. **PSSM1 is a dominant trait but carriers (N/PSSM1) can be managed with proper diet and exercise. It is highly recommended NOT to breed a carrier.**

---

Angel Lace Reed JW (AQHA 5629044)

2014 Bay Filly

GBED Status	N/G	Carries one copy of the GBED gene. If breeding mare, breed to N/N stallions.
HERDA Status	N/N	
HYPP Status	N/N	
MH Status	N/N	
PSSM1 Status	N/N	

---



VETERINARY GENETICS LABORATORY  
 SCHOOL OF VETERINARY MEDICINE  
 ONE SHIELDS AVENUE  
 DAVIS, CALIFORNIA 95616-8744

TELEPHONE: (530) 752-2211  
 FAX: (530) 752-3556

## AQHA GENETIC DISEASE PANEL TEST RESULTS

AMERICAN QUARTER HORSE ASSOCIATION P.O. BOX 200 AMARILLO, TX 79168-0001	<b>Case:</b> QHA192969 <b>Date Received:</b> 11-May-2015 <b>Print Date:</b> 15-May-2015 <b>Report ID:</b> 4254-4818-1165-7122 Verify report at <a href="http://www.vgl.ucdavis.edu/myvgl/verify.html">www.vgl.ucdavis.edu/myvgl/verify.html</a>
---	---

<b>Horse:</b> JK JAY REED <b>YOB:</b> 1996 <b>Sex:</b> Stallion <b>Breed:</b> Quarter Horse <b>Alt. ID:</b> 4093897	<b>Reg:</b> 3516678
--	---------------------

<b>Sire:</b> SHADOW RIDIN PINE <b>Dam:</b> CHRISTINE NAUGHER	<b>Reg:</b> 3141930 <b>Reg:</b> 2246375
---	--

GBED	N/G	N/G - Carrier - Heterozygous (one normal and one GBED gene)
HERDA	N/N	N/N - Normal - horse does not have the HERDA gene
HYPP	N/N	N/N - Normal - Does not possess the disease-causing HYPP gene
MH	N/N	N/N - Normal - horse does not have the MH gene
PSSM1	N/N	N/N - Normal - horse does not have the PSSM1 gene

GBED - Glycogen Branching Enzyme Deficiency. Fatal disease of newborn foals caused by defect in glycogen storage. Affects heart and skeletal muscles and brain. Inherited as recessive disease.

HERDA - Hereditary Equine Regional Dermal Asthenia. Skin disease characterized by hyperextensible skin, scarring, and severe lesions along the back of affected horses. Typical onset is around 2 years of age. Inherited as a recessive disease.

HYPP - Hyperkalemic Periodic Paralysis. Muscle disease caused by defect in sodium channel gene that causes involuntary muscle contraction and increased level of potassium in blood. Inherited as dominant disease. Two copies of defective gene produce more severe signs than one copy.

MH - Malignant Hyperthermia. Rare but life-threatening skeletal muscle disease triggered by exposure to volatile anesthetics (halothane), depolarizing muscle relaxants (succinylcholine), and stress. Presumed inheritance as dominant disease.

PSSM1 - Polysaccharide Storage Myopathy Type 1. Muscle disease characterized by accumulation of abnormal complex sugars in skeletal muscles. Signs include muscle pain, stiffness, skin twitching, sweating, weakness and reluctance to move. Inherited as a dominant disease.

GBED testing performed under a license agreement with the University of Minnesota.  
 HERDA testing performed under a license agreement with the University of California, Davis.  
 PSSM1 testing performed under a license agreement with the American Quarter Horse Association.



VETERINARY GENETICS LABORATORY  
 SCHOOL OF VETERINARY MEDICINE  
 ONE SHIELDS AVENUE  
 DAVIS, CALIFORNIA 95616-8744

TELEPHONE: (530) 752-2211  
 FAX: (530) 752-3556

**AQHA GENETIC DISEASE PANEL TEST RESULTS**

AMERICAN QUARTER HORSE ASSOCIATION P.O. BOX 200 AMARILLO, TX 79168-0001	<b>Case: QHA199369</b> <b>Date Received: 06-Jul-2015</b> Print Date: 10-Jul-2015 Report ID: 5543-8969-7661-7113 Verify report at <a href="http://www.vgl.ucdavis.edu/myvgl/verify.html">www.vgl.ucdavis.edu/myvgl/verify.html</a>
<b>Horse: PEONITA LACEYED JW</b> YOB: 2008 Sex: Mare Breed: Quarter Horse Alt. ID: 5968756	<b>Reg: 5078116</b>
Sire: MR SALTY PEONITA Dam: BP PRINCESS LACE	Reg: 1791561 Reg: 3317976

GBED	N/N	N/N - Normal - Does not possess the disease-causing GBED gene
HERDA	N/N	N/N - Normal - horse does not have the HERDA gene
HYPP	N/N	N/N - Normal - Does not possess the disease-causing HYPP gene
MH	N/N	N/N - Normal - horse does not have the MH gene
PSSM1	N/N	N/N - Normal - horse does not have the PSSM1 gene

GBED - Glycogen Branching Enzyme Deficiency. Fatal disease of newborn foals caused by defect in glycogen storage. Affects heart and skeletal muscles and brain. Inherited as recessive disease.


HERDA - Hereditary Equine Regional Dermal Asthenia. Skin disease characterized by hyperextensible skin, scarring, and severe lesions along the back of affected horses. Typical onset is around 2 years of age. Inherited as a recessive disease.

HYPP - Hyperkalemic Periodic Paralysis. Muscle disease caused by defect in sodium channel gene that causes involuntary muscle contraction and increased level of potassium in blood. Inherited as dominant disease. Two copies of defective gene produce more severe signs than one copy.

MH - Malignant Hyperthermia. Rare but life-threatening skeletal muscle disease triggered by exposure to volatile anesthetics (halothane), depolarizing muscle relaxants (succinylcholine), and stress. Presumed inheritance as dominant disease.

PSSM1 - Polysaccharide Storage Myopathy Type 1. Muscle disease characterized by accumulation of abnormal complex sugars in skeletal muscles. Signs include muscle pain, stiffness, skin twitching, sweating, weakness and reluctance to move. Inherited as a dominant disease.

GBED testing performed under a license agreement with the University of Minnesota.  
 HERDA testing performed under a license agreement with the University of California, Davis.  
 PSSM1 testing performed under a license agreement with the American Quarter Horse Association.



VETERINARY GENETICS LABORATORY  
 SCHOOL OF VETERINARY MEDICINE  
 ONE SHIELDS AVENUE  
 DAVIS, CALIFORNIA 95616-8744

TELEPHONE: (530) 752-2211  
 FAX: (530) 752-3556

**GBED REPORT**

JODIE WORONIECKI 7075 28TH ST. HEBRON, ND 58638	<b>Case:</b> NQ26670 <b>Date:</b> 28-Aug-2015 <b>Print Date:</b> 03-Sep-2015 <b>Report ID:</b> 1250-3508-3361-1175 Verify report at <a href="http://www.vgl.ucdavis.edu/myvgl/verify.html">www.vgl.ucdavis.edu/myvgl/verify.html</a>
<b>Horse:</b> ANGEL LACE REED JW <span style="float: right;"><b>Reg:</b> 5629044</span> <b>DOB:</b> 05/16/2014 <b>Sex:</b> Mare <b>Breed:</b> Quarter Horse <b>Alt. ID:</b>	
<b>Sire:</b> JK JAY REED <span style="float: right;"><b>Reg:</b> 3516678</span> <b>Dam:</b> PEONITA LACEYED JW <span style="float: right;"><b>Reg:</b> 5078116</span>	

**GBED Test Result**

N/G

**Result Codes:**

- G/G Affected - Homozygous for GBED (two copies of the GBED gene).
- N/G Carrier - Heterozygous (one normal and one GBED gene).
- N/N Normal - Does not possess the disease-causing GBED gene.

The condition is inherited as a recessive trait. This means that breedings between two carrier (N/G) horses have a 25% chance of producing an affected foal (G/G). Affected foals usually die at a young age or will need to be euthanized due to weakness. Breedings between carrier and normal (N/N) horses produce only normal foals but 50% of these are expected to be carriers.

**GLYCOGEN BRANCHING ENZYME DEFICIENCY  
 (GBED)  
 TEST REPORT**

<i>Provided Information:</i>		<i>Case:</i>	<b>NQ93292</b>
<i>Name:</i>	<b>PEARL DRIFT JW</b>	<i>Date Received:</i>	28-Mar-2023
<i>Registration:</i>	<b>AQHA Pending</b>	<i>Report Issue Date:</i>	30-Mar-2023
		<i>Report ID:</i>	1519-6490-0393-0095
Verify report at <a href="http://www.vgl.ucdavis.edu/verify">www.vgl.ucdavis.edu/verify</a>			
<i>DOB:</i> <b>05/31/2022</b> <i>Sex:</i> <b>Mare</b> <i>Breed:</i> <b>Quarter Horse</b>			
<i>Sire:</i>	WALTER O RIELLY	<i>Dam:</i>	ANGEL LACE REED JW
<i>Reg:</i>	4343282	<i>Reg:</i>	5629044
<i>Microchip:</i>		<i>Microchip:</i>	

**RESULT**

**INTERPRETATION**

<b>Glycogen Branching Enzyme Deficiency (GBED)</b>	<b>N/N</b>
--	------------

Normal. No copies of the GBED allele detected.