

Jodie & Warren Woroniecki 7075 28th St. Hebron, ND 58638 701-878-4088

7 Identified Diseases Information as it Pertains to Woroniecki Ranch Quarter Horses

At Woroniecki Ranch Quarter Horses we take an ethical response to any genetic diseases as they are identified. AQHA previously had a 5-panel test requirement for breeding stallions since 2015. Two more diseases have been identified and AQHA has now required a 6-panel test. A 7th disease has been identified and could soon be added to the panel. We, as well as many other breeders, have decided to test for that (EJSCA). We also know that there could be many more diseases yet to be discovered. We order our tests through the VGL laboratory of the School of Veterinary Medicine at the University of California, Davis and provide those results to AQHA and buyers. VGL is internationally recognized as a pioneer and expert in DNA-based animal testing. The effects of these equine diseases are wide-ranging, from mild and manageable to severe and terminal. We have compiled a short description of each disorder tested. In many instances we only test the necessary specific test based upon the parents' test results. If both parents are N/N on all or some diseases then the offspring is also N/N on those diseases by default. Please see ALL PAGES of this document link.

Glycogen Branching Enzyme Deficiency (GBED) is a fatal genetic disorder that results from the inability to correctly store glycogen in several organs of the body. Most die within couple weeks of age, but none have been known to survive more than 2 months of age. These foals are often still born. GBED is a recessive trait and only horses that inherit both recessive genes from each parent (G/G) will be afflicted. Carriers (N/G) and non-carriers (N/N) will have no problems in their lives as they will NOT be afflicted at all, and they will be able to perform all performance activities. If you decide to breed a carrier (N/G) it is highly advised to not breed to another carrier to avoid producing afflicted offspring.

Hereditary Equine Regional Dermal Asthenia (HERDA) is an inherited skin condition primarily found in Quarter Horses that is characterized by hyperextensible skin, scarring, and severe lesions along the back of affected horses. HERDA is a recessive trait and only horses that inherit both recessive genes from each parent (HDR/HDR) will be afflicted. Carriers (N/HDR) and non-carries (N/N) will have no problems in their lives as they will NOT be afflicted at all, and they will be able to perform all performance activities. If you decide to breed a carrier (N/HDR) it is highly advised to not breed to another carrier to avoid producing afflicted offspring.

Hyperkalemic Periodic Paralysis (HYPP) is an inherited disease of the muscles primarily found in Quarter Horses which is characterized by sporadic episodes of muscle tremors or paralysis. HYPP is a dominant trait and carriers (N/H) will be afflicted but can be managed with careful nutritional care. It is highly recommended NOT to breed a carrier.

Formerly known as IMM, Myosin-heavy chain myopathy (MYHM) is a muscle disease in Quarter Horses and related breeds that results in two distinct clinical disease presentations. The first presentation is called immune-mediated myositis or IMM and it is characterized by episodes of severe muscle atrophy following an autoimmune event. The second is severe muscle pain and damage termed non-exertional rhabdomyolysis or "tying-up" that is not associated with exercise and may or may not have muscle atrophy. MYHM is a codominant trait and carriers (N/My) may develop a myosin-heavy chain myopathy. Horses with (My/My) may develop a more severe form of a myosin-heavy chain myopathy. It is highly recommended NOT to breed a carrier. After consulting with veterinarians and experts in breeding who deem this disorder to not be as severe or common as HYPP or PSSM1, we have decided at this time to continue to breed certain individuals identified at WRQH. We will not breed carriers to carriers to minimize the potential. We have several aged horses that carry MYHM and have had no problems with them. If things prove differently, we will adjust at that time.

Malignant Hyperthermia (MH) is an inherited disease in which affected horses can be triggered by halogenated anesthetics, succinylcholine, stress, or excitement, which can induce a hyper-metabolic state characterized by symptoms including muscle contracture, elevated temperature, and an irregular heart rhythm. MH is a dominant trait, and carriers (N/MH) will be afflicted if undergoing surgery or extreme stress. It is highly recommended NOT to breed a carrier.

Polysaccharide Storage Myopathy (PSSM1) is a glycogen storage disease that results in the accumulation of abnormal complex sugars in muscle cells, which can lead to muscle pain, weakness, and reluctance to move. PSSM1 is a dominant trait but carriers (N/PSSM1) can be managed with proper diet and exercise. It is highly recommended NOT to breed a carrier.

Equine Juvenile Spinocerebellar Ataxia (EJSCA) is an inherited neurologic disease that causes ataxia. Affected foals develop ataxia, or incoordination, between 1 and 4 weeks of age. The disorder progresses within a few days until affected foals are unable to stand without assistance. EJSCA is a recessive trait and only horses that inherit both recessive genes from each parent (JSA/JSA) will be afflicted. Carriers (N/JSA) and non-carries (N/N) will have no problems in their lives as they will NOT be afflicted at all and they will be able to perform all performance activities. If deciding to breed a carrier (N/JSA) it is highly advised to not breed to another carrier to avoid producing afflicted offspring.

Angel Lace Reed JW (AQHA #5629044) 2014 Bay Mare

GBED Status N/G
HERDA Status N/N
HYPP Status N/N
MYHM Status N/N
MH Status N/N
PSSM1 Status N/N
EJSCA Status N/N

Carries one copy of the GBED gene. If breeding mare, breed to a N/N stallion.

UNIVERSITY OF CALIFORNIA, DAVIS

BERKELEY • DAVIS • IRVINE • LOS ANGELES • MERCED • RIVERSIDE • SAN DIEGO • SAN FRANCISCO



SANTA BARBARA • SANTA CRUZ

VETERINARY GENETICS LABORATORY SCHOOL OF VETERINARY MEDICINE ONE SHIELDS AVENUE DAVIS, CALIFORNIA 95616-8744

TELEPHONE: (530) 752-2211 FAX: (530) 752-3556

AQHA GENETIC DISEASE PANEL TEST RESULTS

AMERICAN QUARTER HORSE ASSOCIATION P.O. BOX 200 AMARILLO, TX 79168-0001

Case:

QHA192969

Date Received:

11-May-2015

Print Date:

15-May-2015

Report ID:

Verify report at www.vgl.ucdavis.edu/myvgl/verify.html

4254-4818-1165-7122

Reg: 3516678

Horse: JK JAY REED

YOB: 1996 Sex: Stallion

GBED

N/G

N/N

Breed: Quarter Horse

Alt ID: 4093897

Sire: SHADOW RIDIN PINE

Reg: 3141930

Reg: 2246375

Dam: CHRISTINE NAUGHER

N/G - Carrier - Heterozygous (one normal and one GBED gene)

HERDA N/N

N/N - Normal - horse does not have the HERDA gene

HYPP N/N

N/N - Normal - Does not possess the disease-causing HYPP gene

MH N/N

N/N - Normal - horse does not have the MH gene

PSSM1

N/N - Normal - horse does not have the PSSM1 gene

GBED - Glycogen Branching Enzyme Deficiency. Fatal disease of newborn foals caused by defect in glycogen storage. Affects heart and skeletal muscles and brain. Inherited as recessive disease.

HERDA - Hereditary Equine Regional Dermal Asthenia. Skin disease characterized by hyperextensible skin, scarring, and severe lesions along the back of affected horses. Typical onset is around 2 years of age. Inherited as a recessive disease.

HYPP - Hyperkalemic Periodic Paralysis. Muscle disease caused by defect in sodium channel gene that causes involuntary muscle contraction and increased level of potassium in blood. Inherited as dominant disease. Two copies of defective gene produce more severe signs than one copy.

MH - Malignant Hyperthermia. Rare but life-threatening skeletal muscle disease triggered by exposure to volatile anesthetics (halothane), depolarizing muscle relaxants (succinylcholine), and stress. Presumed inheritance as dominant disease.

PSSMI - Polysaccharide Storage Myopathy Type 1. Muscle disease characterized by accumulation of abnormal complex sugars in skeletal muscles. Signs include muscle pain, stiffness, skin twitching, sweating, weakness and reluctance to move. Inherited as a dominant disease.

GBED testing performed under a license agreement with the University of Minnesota. HERDA testing performed under a license agreement with the University of California, Davis.

PSSM1 testing performed under a license agreement with the American Quarter Horse Association.

UNIVERSITY OF CALIFORNIA, DAVIS

BERKELEY • DAVIS • IRVINE • LOS ANGELES • MERCED • RIVERSIDE • SAN DIEGO • SAN FRANCISCO



SANTA BARBARA · SANTA CRUZ

VETERINARY GENETICS LABORATORY SCHOOL OF VETERINARY MEDICINE ONE SHIELDS AVENUE DAVIS, CALIFORNIA 95616-8744

TELEPHONE: (530) 752-2211 FAX: (530) 752-3556

AQHA GENETIC DISEASE PANEL TEST RESULTS

AMERICAN QUARTER HORSE ASSOCIATION P.O. BOX 200 AMARILLO, TX 79168-0001

Case:

QHA199369

Date Received:

06-Jul-2015

Print Date:

10-Jul-2015

Reg: 5078116

5543-8969-7661-7113

Verify report at www.vgl.ucdavis.edu/myvgl/verify.html

Horse: PEPONITA LACEYED JW

YOB: 2008 Sex: Mare Breed: Quarter Horse Alt. ID: 5968756

Sire: MR SALTY PEPONITA Dam: BP PRINCESS LACE

Reg: 1791561

Reg: 3317976

GBED	N/N
HERDA	N/N
НҮРР	N/N
МН	N/N
PSSM1	N/N

N/N - Normal - Does not possess the disease-causing GBED gene

N/N - Normal - horse does not have the HERDA gene

N/N - Normal - Does not possess the disease-causing HYPP gene

N/N - Normal - horse does not have the MH gene

N/N - Normal - horse does not have the PSSM1 gene

GBED - Glycogen Branching Enzyme Deficiency. Fatal disease of newborn foals caused by defect in glycogen storage. Affects heart and skeletal muscles and brain. Inherited as recessive disease.

HERDA - Hereditary Equine Regional Dermal Asthenia. Skin disease characterized by hyperextensible skin, scarring, and severe lesions along the back of affected horses. Typical onset is around 2 years of age. Inherited as a recessive disease.

HYPP - Hyperkalemic Periodic Paralysis. Muscle disease caused by defect in sodium channel gene that causes involuntary muscle contraction and increased level of potassium in blood. Inherited as dominant disease. Two copies of defective gene produce more severe signs than one copy.

MH - Malignant Hyperthermia. Rare but life-threatening skeletal muscle disease triggered by exposure to volatile anesthetics (halothane), depolarizing muscle relaxants (succinylcholine), and stress. Presumed inheritance as dominant disease.

PSSM1 - Polysaccharide Storage Myopathy Type 1. Muscle disease characterized by accumulation of abnormal complex sugars in skeletal muscles. Signs include muscle pain, stiffness, skin twitching, sweating, weakness and reluctance to move. Inherited as a dominant disease.

GBED testing performed under a license agreement with the University of Minnesota.

HERDA testing performed under a license agreement with the University of California, Davis.

PSSM1 testing performed under a license agreement with the American Quarter Horse Association.

UNIVERSITY OF CALIFORNIA, DAVIS

BERKELEY • DAVIS • IRVINE • LOS ANGELES • MERCED • RIVERSIDE • SAN DIEGO • SAN FRANCISCO

VETERINARY GENETICS LABORATORY SCHOOL OF VETERINARY MEDICINE ONE SHIELDS AVENUE DAVIS, CALIFORNIA 95616-8744



SANTA BARBARA • SANTA CRUZ

TELEPHONE: (530) 752-2211 FAX: (530) 752-3556

GBED REPORT

JODIE WORONIECKI 7075 28TH ST. HEBRON, ND 58638

Case: NQ26315

Date 10-Aug-2015

Print Date: 02-Nov-2015

Report ID: 2331-5588-8431-7168 Verify report at www.vgl.ucdavis.edu/myvgl/verify.html

Horse: ANGEL LACE REED JW Reg: 5629044

DOB: 05/16/2014 Sex: Mare Breed: Quarter Horse

Sire: JK JAY REED Reg: 3516678
Dam: PEPONITA LACEYED JW Reg: 5078116

GBED Test Result

N/G

Result Codes:

G/G Affected - Homozygous for GBED (two copies of the GBED gene).

N/G Carrier - Heterozygous (one normal and one GBED gene).

N/N Normal - Does not possess the disease-causing GBED gene.

The condition is inherited as a recessive trait. This means that breedings between two carrier (N/G) horses have a 25% chance of producing an affected foal (G/G). Affected foals usually die at a young age or will need to be euthanized due to weakness. Breedings between carrier and normal (N/N) horses produce only normal foals but 50% of these are expected to be carriers.



EQUINE DISEASE TEST REPORT

Provided Information: Case: NQ26315

Name: ANGEL LACE REED JW 10-Aug-2015
Report Issue Date: 17-May-2025

 Registration:
 5629044
 Report ID:
 9745-4125-2982-0095

 Reissue of:
 2331-5588-8431-7168

Verify report at vgl.ucdavis.edu/verify

DOB: 05/16/2014 Sex: Mare Breed: Quarter Horse

Sire: JK JAY REED Dam: PEPONITA LACEYED JW

Reg:3516678Reg:5078116Microchip:Microchip:

RESULT INTERPRETATION

Enzyme Deficiency (GBED)	N/G	Carrier. One copy of the GBED allele detected.
Myosin-Heavy Chain Myopathy (MYHM)	N/N	Normal. No copies of the MYHM allele detected. Horse does not have increased susceptibility for immune mediated myositis or nonexertional rhabdomyolysis caused by the MYHM allele.



EQUINE JUVENILE SPINOCEREBELLAR ATAXIA TEST REPORT

Provided Information: Case: NQ26315

Name: ANGEL LACE REED JW 10-Aug-2015
Report Issue Date: 17-May-2025

Registration: **5629044** Report ID: 0981-5380-7241-4120

Verify report at vgl.ucdavis.edu/verify

DOB: 05/16/2014 Sex: Mare Breed: Quarter Horse

Sire: JK JAY REED Dam: PEPONITA LACEYED JW

Reg:3516678Reg:5078116Microchip:Microchip:

RESULT INTERPRETATION

Equine Juvenile
Spinocerebellar Ataxia
N/N
Normal. No copies of the allele associated with equine juvenile spinocerebellar ataxia (EJSCA) detected.